



D-STAR Gateway System (VE6WRN)

Already registered?

Login with Callsign and Password.

Please note that Callsign and Password are case sensitive!

Callsign must be in Upper Case!

CallSign :

Password :

Login

***New user? Register with your Callsign and password.
Callsign must be in UPPER CASE!***

Register here for D-STAR access.

Registering takes just a few seconds, and
you won't have to enter your personal information
again the next time you visit here.

Register

The agreement document

If you want to change agreement document, please change following file.
/opt/products/dstar/tomcat/webapps/D-STAR/WEB-INF/messages/agreement.txt

Do you agree?

YES: NO:

Enter your personal information!

CallSign : Equal to or less than 7 characters.

Name :

E-mail : Make sure you use a valid e-mail address.

Password : 8 to 16 characters.

Password confirm :

It usually takes the Administrators of VE6WRN, 24 hours to approve your registration. Once registered you will be able to log in and see a list of all users registered to the VE6WRN system. You will need to set up at least 1 ip address for your radio to use the gateway.



D-STAR Gateway System (VE6WRN)

REVISION 1.0

[Registration is submitted.](#)

CallSign : VE6WRO

Name : Dale

E-mail : ve6cpk@shaw.ca

Authorization for your registration will be reviewed by the system administrator.
You will be notified by email when it is approved.

OK

Click ok to return to the first page and log in once your registration has been approved.



D-STAR Gateway System (VE6WRN)

REVISION 1.0

Login : VE6WRO

[User Information](#) [GW Information](#) [Terminal Information](#) Personal Information

Please, edit after making a left check box on.

Name :

E-mail :

Password :

Password Confirm :

If the station has multiple radios, Target CS are distinguished by initial(last character) of a space or a capital english letter.

Definition character as follows..... (G)is a gateway. (S)is a local server.

Usually RPT(Repeater) isn't checked, initial AreaRPT CS is the port A of ZoneRPT CS. If RPT is checked, AreaRPT CS is the same as Target CS.

		Initial	RPT	local IP	pname	Del
<input type="checkbox"/>	1:	VE6WRO		10.28.108.168	ve6w ro	<input type="checkbox"/>
<input type="checkbox"/>	2:	VE6WRO	<input type="checkbox"/>	10.28.108.169	<input type="text"/>	
<input type="checkbox"/>	3:	VE6WRO	<input type="checkbox"/>	10.28.108.170	<input type="text"/>	
<input type="checkbox"/>	4:	VE6WRO	<input type="checkbox"/>	10.28.108.171	<input type="text"/>	
<input type="checkbox"/>	5:	VE6WRO	<input type="checkbox"/>	10.28.108.172	<input type="text"/>	
<input type="checkbox"/>	6:	VE6WRO	<input type="checkbox"/>	10.28.108.173	<input type="text"/>	
<input type="checkbox"/>	7:	VE6WRO	<input type="checkbox"/>	10.28.108.174	<input type="text"/>	
<input type="checkbox"/>	8:	VE6WRO	<input type="checkbox"/>	10.28.108.175	<input type="text"/>	

Check item and change a set value.
Click the Update button.

Once you have checked at least 1 ip you will be able to use the gateway.
Thanks for supporting the VE6WRN D-Star system.